


PRODUCT CATALOGUE

Volume - 2019



- Outdoor Wall Lights
- Gate Lights
- Lawn Lights
- Pole Lights
- Decorative Lights
and more ...



INTRODUCTION

Amase is synonym to energy efficient and best quality lighting products across the length and breadth of India. Originally called as Super Lite, a household name for generations, the brand is known for its quality and after-sale services combined with an extensive network of dealers and suppliers across the country.

Amase is a Lighting company founded by Mr. Nand Kishore. It is one of the most well known brand among Indian consumers. The company has been operating in India for more than 30 years and its key business areas include LED Lighting and Outdoor Lighting.

Founded in 1990 as a Fancy Light Company, today Amase becomes the No. 1 Lighting Company in the area of Wall, Outdoor and Hanging Lighting. Amase LED is one of the fastest growing LED lighting companies in India.

Amase is also a leader in Outdoor LED Lighting. It offers a huge collection of LED products in various categories like Hanging, Outdoor, Mirror and Wall Lights with protective technology. All products are made with higher and innovative technology. So, they are known to increase the quality of consumer's professional.

Amase is the brand meant to produce innovative products of various types, using LED for both indoor and outdoor usage. These products are meant to be the best substitute and replacement to the lighting products that are currently being used. All "Amase" products come with in-house modules; drivers are fitted with leading brands of LEDs.

All Amase Products are highly energy efficient, radiation free, eco friendly with excellent durability & light output. "Amase" has a range of products under the category of outdoor lights, wall lights, fancy lights & garden lights to meet the various light output demand.



IS 15885
(Part 2/Sec 13):2012



R - 81004537
(BIS Drivers)



Contents


 05	 23	 35	 42
Outdoor LED Wall Lights	LED Lawn Lights	Inground LED Burial Lights	Track - LED Spot Light
 14	 29	 37	 43
Outdoor LED Foot Lights	LED Pole Lights	LED Track lights	Wall Lights
 17	 31	 37	 45
Indoor LED Foot Lights	Gate Lights	Outdoor Bulk-Head Lights	Chandeliers / Pendant Lamps
 19	 33	 38	 50
Lawn Lights	Garden LED Lights Spike	Indoor LED Wall Lights	Pendant Lamps



LED by:




OSRAM PHILIPS




SL 8091

LED : 2x3W, 2x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 8091

LED : 1x3W, 1x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 234

LED : 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




SL 234

LED : 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 333



LED : 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



SL 9090

LED : 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray






SL 2509

LED : 4X3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray

SL 7020

LED : 4X3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray

TM




SL 7010

LED : 2X3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray, PKW



SL 6060

LED : 3X3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray



SL 2054

LED : 2X3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray




SL 246

LED : 2X1W
 LED Color : Red, Green, Blue, Yellow
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray


SL 246

LED : 4X1W
 LED Color : Red, Green, Blue, Yellow
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray



SL 246



LED : 6X1W
 LED Color : Red, Green, Blue, Yellow
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray




SL 188 Wall Light

LED : 6W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray






SL 2004 - Square Lens
 LED : 1x3W, 2x3W, 3x3W, 4x3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Square Lens
 Body Color: Graphite Gray




SL 4002 - Square Lens
 LED : 2x3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Square Lens
 Body Color: Graphite Gray™




SL 4004
 LED : 4x3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray



SL 2004 - Round Lens
 LED : 1x3W, 2x3W, 3x3W, 4x3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray





SL 4002 - Round Lens
 LED : 2x3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray



SL 1033
 LED : 6W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




SL 8910
 LED : 12W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 881-2 Square

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray




SL 881-2 Round

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray



SL 881-1 Square

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray




SL 881-1 Round

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray



SL 880- Surface Square

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray




SL 880 - Surface Round

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Graphite Gray






SL 16-19
LED : 2X12W(COB)
Holder: 2xE-27
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Black




SL 1046

LED : 1X12W(COB)
Holder: 1xE-27
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Black




SL 1046 Surface
LED : 1X12W(COB)
Holder: 1xE-27
Material: Die-casting Aluminium
with Toughened Glass
Body Color: Black





TM







SL 8080

LED : 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray




SL 8080

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray




SL 990 - Square

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray




SL 990 - Round

LED : 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray




SL 2911

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray




SL 9306

LED : 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
ABS With PC Diffuser
Body Color: Graphite Gray



SL 8401 Square

LED : 1X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray




SL 8401 Round

LED : 1X3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray



SL 33

LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
ABS with PC Diffuser
Body Color: Graphite Gray




Indoor LED Foot Lights




Indoor LED Foot Lights




SL 26A
LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color:White




SL 26B
LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color:White




SL 26C
LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color:White



SL 25 Square
LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
Body Color:White



SL 25 Round
LED : 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium
Body Color:White





SL 177 - Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27




SL 177 - Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: 2xE-27



SL 177 - Bollard™

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: 2xE-27



SL 199 - Bollard

LED: 12W
 Holder: E-27
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 199 - Bollard


LED: 12W
 Holder: E-27
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 199 - Bollard

LED: 12W
 Holder: E-27
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray





SL 270 - Square Wall Light


Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 270 - Square Gate Light

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27

TM



SL 270 - Square Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 270 - Square Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 270 - Round Wall Light

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 270 - Round Gate Light

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27

TM



SL 270 - Round Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 270 - Round Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27





SL 7299 - Wall Light

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27

SL 7299 - Gate Light

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27

TM




SL 7299 - Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 7299 - Bollard

Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray
 Holder: E-27



SL 7080 - Bollard

LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray

SL 7080 - Bollard


LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray

TM



SL 7080 - Bollard

LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 7080 - Wall Light

LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray





SL 888 - Wall Light


LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray



SL 888 - Bollard

LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray

TM



SL 888 - Bollard


LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray



SL 888 - Bollard


LED: 9W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray





SL 188 - Bollard


LED: 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 188 - Bollard


LED: 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray

TM




SL 188 - Bollard

LED: 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




SL 188 - Bollard

LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 188 - Bollard


LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



SL 188 - Bollard


LED: 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray





SL 83038 Round

LED: 50W & 80W
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray



SL 83038 Square

LED: 50W & 80W
Material: Die-casting Aluminium
with PC Diffuser
Body Color: Graphite Gray





Gate Lights



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265
P. Ø	50	60	75

SL 999 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265

SL 999 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Medium, Big



(mm)	Small	Big
Height	400	520
Width	205	295
P. Ø	60	75

SL 201 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Big



(mm)	Small	Big
Height	390	510
Width	205	295

SL 201 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Big



(mm)	Small	Big
Height	230	390
Width	140	180
P. Ø	50	60

SL 444 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Big



(mm)	Small	Big
Height	240	380
Width	140	180

SL 444 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22
Size: Small, Big





(mm)	Small	Medium	Big
Height	320	440	675
Width	210	260	320

SL 501 Gate Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22
 Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	320	395	580
Width	210	260	320

SL 501 Wall Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22
 Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	430	585
Width	155	190	265
P.Ø	50	60	75

SL 301 Gate Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22
 Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	420	580
Width	155	190	265

SL 301 Wall Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22
 Size: Small, Medium, Big



(mm)	Dimension
Height	320
Width	155
P.Ø	50


SL 7072 Gate Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: E-27




SL 7072 Wall Light

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Antique
 Holder: E-27




SL 5100 - Spike

LED: 7W(COB)
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray



SL 5100 - Spike

LED: 12W(COB)
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray



SL 4040 - Spike

LED: 7W(COB)
 Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray



SL 4048 - Spike

Material: Die-casting Aluminium with Toughened Glass
 Body Color: Graphite Gray
 Holder: E-27





SL 4095 - Spike

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4095 -Wall Light

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

TM



SL 4095 - Spike with Cap

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4095 -Wall Light with Cap

LED: 5W(COB)
Holder: GU-10, MR-16
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



SL 4050

LED: 1x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray



SL 4050

LED: 2x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray

TM



SL 4050

LED: 3x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray



SL 4050

LED: 4x1W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with PC Diffuser
Body Color: Graphite Gray



SL 5050

LED: 7W(COB)
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with Toughened Glass
Body Color: Silver Finish




SL 5050

LED: 12W(COB)
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium, ABS with Toughened Glass
Body Color: Silver Finish




Outdoor LED Track lights




SL 360 Track Light

LED : 9W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray, White



SL 180 Track Light

LED : 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium with Acrylic Lens
 Body Color: Graphite Gray, White



Outdoor Bulk-Head Lights



SL Prisma Vertical A

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22




SL Prisma Vertical B

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22



SL Prisma Horizontal A


Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22



SL Prisma Horizontal B

Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22





SL 28 - 3

LED: 3X5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



SL 28 - 2

LED: 2X5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



SL 28 - 1

LED: 1X5W(COB)
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White

TM

Indoor LED Wall Lights



SL 27

LED : 3x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 27

LED : 2x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



SL 27

LED : 1x7W
Colour Temperature: 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: White

TM





SL 29
 LED : 3x6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White



SL 29
 LED : 2x6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White



SL 29
 LED : 1x6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White

TM

oor LED Wall Lights



SL 1080
 LED : 12W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White



SL 9810
 LED : 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with PC Diffuser
 Body Color: White



SL 9198 - Round
 LED : 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White



SL 9198 - Square
 LED : 6W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with Acrylic Diffuser
 Body Color: White

LED Shelf lights



SL 555
 LED : 3W
 Colour Temperature: 3000K, 6000K
 Material: Die-casting Aluminium
 with PC Diffuser
 Body Color: Graphite Gray
 Height: 300mm, 200mm, 100mm





SL 108 Spot Light - Track

LED : 5W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium,
 with Toughened Glass
 Body Color: Black, White



SL 1019 - 1 Round



SL 1019 - 2 Round



SL 1019 - 1 Square



SL 1019 - 2 Square



SL 430 - 1



SL 430 - 2





SL 5734
Holder: 12xE-27



SL 5734
Holder: 8xE-27



SL 5734 Wall Light
Holder: E-27



SL 5734
Holder: 6xE-27



SL 5734 Hanging Light
Holder: 1xE-27



SL 5734
Holder: 5xE-27





SL 99174
Holder: 12xE-27



SL 99174
Holder: 8xE-27 **TM**



SL 99174 Wall Light
Holder: E-27



SL 99174
Holder: 6xE-27



SL 99174 Hanging Light
Holder: 1xE-27



SL 99174
Holder: 5xE-27



SL 31599
Holder: 12xE-27



SL 31599 Wall Light
Holder: E-27



SL 31599
Holder: 8xE-27 **TM**



SL 31599
Holder: 6xE-27



SL 31599 Hanging Light
Holder: 1xE-27



SL 31599
Holder: 5xE-27





SL 31590
Holder: 12xE-27



SL 31590
Holder: 8xE-27



SL 31590 Wall Light
Holder: E-27



SL 31590
Holder: 6xE-27



SL 31590 Hanging Light
Holder: 1xE-27



SL 31590
Holder: 5xE-27



SL 500



SL 673



SL GANPATI



SL 44



SL 3001



SL 4001



SL 5001





SL 1210
Size : 12", 14", 16"



SL 1406



SL 8010



SL 1010



SL 7015



SL 8008



SL 1211
Size : 12", 15", 17"




SL 1212



SL 8100

All the above mentioned products having
Aluminium Body with E-27 Holder
Available in colors below



Red Blue White Black



SL 1010



SL 1009



SL 2222-Small



SL 6310

TM



SL 6300



SL 1006



SL 1008



SL 1111





SL 1001



SL 2222-Big



TM
SL 1007



SL 1002



SL 1003



SL 1112



SL 1111



SL 361-3 Hanging Light



7" Bell-3 Hanging Light

TM



SL 7072 Hanging Light

Material: Die-casting Aluminium
with Frosted Glass
Body Color: Antique
Holder: E-27



SL 361-1 Hanging Light



SL 361 Wall Light





SL 30-12"



SL 43-12"



SL 37-12"



SL 16" BELL



SL 7" BELL



SL 136



SL 6" DOOM



SL 10" DOOM



SL 186

Size : (H) 395mm
(W) 170mm



SL 186

Size : (H) 415mm
(W) 215mm



SL 186

Size : (H) 460mm
(W) 285mm



SL 187

Size : (H) 395mm
(W) 170mm



SL 187

Size : (H) 415mm
(W) 215mm



SL 187

Size : (H) 460mm
(W) 285mm





Amase[™]
LED Lighting

Amase Lighting Enterprises
New Delhi
www.amaseled.com

