

# Surface Downlighters

## Surface+ 3w



Philips  
**LED Downlight 3w**

*Essential*

Aluminum material with improved lumens and 35000 life hours

Even and comfortable light

No visible flickering, low glare and  
No UV IR radiations

Wide voltage protection (160-360V)  
Surge protection up to 2KV

### General Specs

Application	LED Downlighter
Color & Material	White & Aluminum
Lamp base & wattage (Color Temperature)	LED 3W, 220-240V 50Hz 3000K, 4000K and 6500K
Dimensions (L X W X H)	R : 90 mm X 90 mm X 35 mm S : 90 mm X 90 mm X 35 mm
Lumen Output	190 lm
Master Pack	12
MRP	880 INR



## Surface Mount+ 12W



Philips  
**Surface Mount+ 12W**

*Essential*

Long Life LED source

Anti glare diffuser

Wide voltage protection (130-360V)  
Surge protection up to 2KV

Premium aluminum material

### General Specs

Application	Surface Ceiling Lights
Color & Material	White & Aluminum
Lamp base & wattage (Color Temperature)	LED 12W, 220-240V 50Hz 3000K,6500K
Dimensions (L X W X H)mm	Square: 146 mm X 146 mm X 37 mm Round : 167 mm X 167 mm X 37 mm
Lumen Output	920 lm
Master Pack	6
MRP	1395 INR



## Surface Mount+ 15W



Philips  
**Surface Mount+ 15W**

*Essential*

Long Life LED source

Anti glare diffuser

Wide voltage protection (130-360V)  
Surge protection up to 2KV

Premium aluminum material

### General Specs

Application	Surface Ceiling Lights
Color & Material	White & Aluminum
Lamp base & wattage (Color Temperature)	LED 15W, 220-240V 50Hz 3000K, 6500K
Dimensions (L X W X H)mm	Square : 184 mm X 184 mm X 37 mm Round : 190 mm X 190 mm X 37 mm
Lumen Output	1200 lm
Master Pack	6
MRP	1645 INR



## Surface Mount+ 22W



Philips  
**Surface Mount+ 22W**

*Essential*

Long Life LED source

Anti glare diffuser

Wide voltage protection (130-360V)  
Surge protection up to 2KV

Premium aluminum material

### General Specs

Application	Surface Ceiling Lights
Color & Material	White & Aluminum
Lamp base & wattage (Color Temperature)	LED 22W, 220-240V 50Hz 3000K, 6500K
Dimensions (L X W X H)mm	Square : 230 mm X 230 mm X 45.5 mm Round : 235 mm X 235 mm X 45.5 mm
Lumen Output	1840 lm
Master Pack	6
MRP	2700 INR



# Packaging

