

Prime Plus UltraGlow

Bright Downlight .. Solid Performance

Prime Plus UltraGlow

- **Brightest Synthetic DL; light output of 100 Lm/Watt**
- **Superior light quality:** Even and comfortable light with no dark spots
- **Longer life:** 25000 Hrs long life
- **Superior Matt Finish with Polycarbonate housing**
- **Eye comfort:** Anti-glare diffuser delivers superior eye comfort
- **Prevents eye strain:** No visible flickering, no UV/IR
- **Robust product:** Surge protection of 2.5 KV with wide voltage protection 160-360v
- **Safety standards compliant:** BIS safety standard, IEC 60598 registered and tested for 35 Deg Ta
- **Available in 3 CCTs:** 6500k/4000k/3000k – allowing consumers to pick and choose colors for each room

BENEFITS	PHILIPS	OTHER BRANDS
Wide voltage protection 160-360V		
Surge protection upto 2.5KV		
Low Glare & Eye Comfort		
Guaranteed CRI-80		
External driver for easy replacement		
Long system lifetime 25,000 hrs.		
Light uniformity/no dark spots		
Sleek design for easy installation in false ceiling		

Prime Plus UltraGlow 5W



General Specs

Application	Downlighter
Color & Material	White colour, Polycarbonate body
Lamp base & wattage (Color Temperature)	5W, 220-240V 50Hz 3000K,4000k,6500K, Red, Green, Pink, Blue
Lumen Output	500 Lm
Cutout	75 mm –Round fits into JB
Master Pack	60



Prime Plus UltraGlow 10W



General Specs

Application	Downlighter
Color & Material	White colour, Polycarbonate body
Lamp base & wattage (Color Temperature)	10W, 220-240V 50Hz 3000K,4000k,6500K,
Lumen Output	1000 Lm
Cutout	110 mm
Master Pack	24



Prime Plus UltraGlow 12W



General Specs

Application	Downlighter
Color & Material	White colour, Polycarbonate body
Lamp base & wattage (Color Temperature)	12W, 220-240V 50Hz 3000K,4000k,6500K,
Lumen Output	1200 Lm
Cutout	140 mm
Master Pack	24



Prime Plus UltraGlow 15W



Now in
6 Inch Cutout

General Specs

Application	Downlighter
Color & Material	White colour, Polycarbonate body
Lamp base & wattage (Color Temperature)	15W, 220-240V 50Hz 3000K,4000k,6500K
Lumen Output	1500 Lm
Cutout	152.4 mm (6 Inch)
Master Pack	24



Prime Plus UltraGlow 22W



General Specs

Application	Downlighter
Color & Material	White colour, Polycarbonate body
Lamp base & wattage (Color Temperature)	22W, 220-240V 50Hz 3000K,4000k,6500K
Lumen Output	2200 Lm
Cutout	188 mm
Master Pack	12



Summary – Lumen, Cutout and Dimension

Wattage	Lumens	Colours	Cut Out	Dimensions
5W (R)	500 Lm	CW/NW/WW R/G/B/Pink	75 mm	108 X 108 X 21 mm
5W (Sq)	500 Lm	CW/NW/WW	75 mm	96 X 96 X 21 mm
10W (R & Sq)	1000 Lm	CW/NW/WW	110 mm	130 X 130 X 21 mm
12W (R & Sq)	1200 Lm	CW/NW/WW	140 mm	160 X 160 X 22 mm
15W (R & Sq)	1500 Lm	CW/NW/WW	152.4 mm	170 X 170 X 22 mm
22W (R & Sq)	2200 Lm	CW/NW/WW	188 mm	225 X 225 X 23 mm



Commercials

Material	Description	MRP	Shipper Size
929002627101	5W Round AP Plus UltraGlow LED DL(WW)	495	60
929002627201	5W Round AP Plus UltraGlow LED DL(NW)	495	60
929002627301	5W Round AP Plus UltraGlow LED DL(CDL)	495	60
929002627401	5W Square AP Plus UltraGlow LED DL(WW)	495	60
929002627501	5W Square AP Plus UltraGlow LED DL(NW)	495	60
929002627601	5W Square AP Plus UltraGlow LED DL(CDL)	495	60
929002627701	10W Round AP Plus UltraGlow LED DL(WW)	685	24
929002627801	10W Round AP Plus UltraGlow LED DL(NW)	685	24
929002627901	10W Round AP Plus UltraGlow LED DL(CDL)	685	24
929002628001	10W Square AP Plus UltraGlow LED DL(WW)	685	24
929002628101	10W Square AP Plus UltraGlow LED DL(NW)	685	24
929002628201	10W Square AP Plus UltraGlow LED DL(CDL)	685	24
929002628301	12W Round AP Plus UltraGlow LED DL(WW)	750	24
929002628401	12W Round AP Plus UltraGlow LED DL(NW)	750	24
929002628501	12W Round AP Plus UltraGlow LED DL(CDL)	750	24
929002628601	12W Square AP Plus UltraGlow LED DL(WW)	750	24
929002628701	12W Square AP Plus UltraGlow LED DL(NW)	750	24
929002628801	12W Square AP Plus UltraGlow LED DL(CDL)	750	24
929002628901	15W Round AP Plus UltraGlow LED DL(WW)	860	24
929002629001	15W Round AP Plus UltraGlow LED DL(NW)	860	24
929002629101	15W Round AP Plus UltraGlow LED DL(CDL)	860	24
929002629201	15W Square AP Plus UltraGlow LED DL(WW)	860	24
929002629301	15W Square AP Plus UltraGlow LED DL(NW)	860	24
929002629401	15W Square AP Plus UltraGlow LED DL(CDL)	860	24
929002629501	22W Round AP Plus UltraGlow LED DL(WW)	1415	12
929002629601	22W Round AP Plus UltraGlow LED DL(NW)	1415	12
929002629701	22W Round AP Plus UltraGlow LED DL(CDL)	1415	12
929002629801	22W Square AP Plus UltraGlow LED DL(WW)	1415	12
929002629901	22W Square AP Plus UltraGlow LED DL(NW)	1415	12
929002630001	22W Square AP Plus UltraGlow LED DL(CDL)	1415	12
929002636701	5W Round AP Plus UltraGlow LED DL(Red)	495	60
929002636801	5W Round AP Plus UltraGlow LED DL(Green)	495	60
929002636901	5W Round AP Plus UltraGlow LED DL(Blue)	495	60
929002637001	5W Round AP Plus UltraGlow LED DL(Pink)	495	60

©ignify